

添付資料 6

ブナシメジの品種識別マニュアルの
妥当性検査データ(品種内多型調査)

ブナシメジ品種内多型検査結果票(B社・許容範囲±1)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品 種 番 号	品 種 名	マーカー															
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8	
		133		79		145		155		269		130		132		243	
1	ホクト白1号菌	133		67	79	145		155		269		130		132		243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-5		msHm-6		フラグ数	最大フラグ	一致率
(2)-1	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-2	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-3	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-4	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-5	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-6	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-7	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-8	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-9	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-10	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-11	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－12	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－13	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－14	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－15	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－16	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－17	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－18	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－19	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－20	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－21	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－22	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－23	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－24	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－25	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－26	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－27	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－28	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－29	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
	totalフラグ計	30	30	30	30	30	30	30	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	93.8%
		60		60		60		60		60		60		30		60				
		一致率		100%		100%		100%		100%		100%		50%		100%				

ブナシメジ品種内多型検査結果票(F社・許容範囲±1)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
1	ホクト白1号菌	A	B	C	D	E	F	G	H
		A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品種番号	品種名	マーカー											
		msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8				
		133	79	145	155	269	130	132	243				
1	ホクト白1号菌	133	67 79	145	155	269	130	132	243				

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－2	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－3	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	246				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	14	16	87.5%
(2)－4	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－5	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－6	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－7	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－8	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－9	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－10	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－11	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－29	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
totalフラグ計		30	30	30	30	30	30	30	30	30	30	30	30	30	0	29	30		平均 マーカー 一致率	93.5%
		60		60		60		60		60		60		30		59				
	一致率	100%		100%		100%		100%		100%		100%		50%		98%				

ブナシメジ品種内多型検査結果票(L社・許容範囲±1)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品種番号	品種名	マーカー											
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6	
		133		79		145		155		269		130	
1	ホクト白1号菌	133		67	79	145		155		269		130	132
												243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－2	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－3	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－4	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－5	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－6	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－7	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－8	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－9	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－10	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	0	1	7	16	43.8%
(2)－11	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	0	1	7	16	43.8%

(2)－12	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	0	1	6	16	37.5%
(2)－13	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	0	1	6	16	37.5%
(2)－14	測定結果	135	0	69	81	148	0	159	0	270	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	1	1	0	1	0	0	1	1	8	16	50.0%
(2)－15	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	0	1	6	16	37.5%
(2)－16	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	8	16	50.0%
(2)－17	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	0	1	6	16	37.5%
(2)－18	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－19	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－20	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－21	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	8	16	50.0%
(2)－22	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－23	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	0	1	7	16	43.8%
(2)－24	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
(2)－25	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	0	1	7	16	43.8%
(2)－26	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－27	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%
(2)－28	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	1	7	16	43.8%

(2)－29	測定結果	135	0	69	81	148	0	159	0	270	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	1	1	0	1	1	0	0	1	8	16	50.0%
(2)－30	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	0	0	0	1	0	1	0	1	0	1	1	0	1	1	8	16	50.0%
	totalフラグ計	0	30	0	0	0	30	0	30	2	30	0	30	18	0	20	30		平均 マーカー 一致率	45.8%
		30		0		30		30		32		30		18		50				
		一致率		50%		0%		50%		50%		53%		50%		30%				

ブナシメジ品種内多型検査結果票(B社・許容範囲±2)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品 種 番 号	品 種 名	マーカー															
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8	
		133		79		145		155		269		130		132		243	
1	ホクト白1号菌	133		67	79	145		155		269		130		132		243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-5		msHm-6		フラグ数	最大フラグ	一致率
(2)－1	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－2	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－3	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－4	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－5	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－6	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－7	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－8	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－9	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－10	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－11	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－12	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－13	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－14	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－15	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－16	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－17	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－18	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－19	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－20	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－21	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－22	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－23	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－24	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－25	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－26	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－27	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－28	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－29	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
	totalフラグ計	30	30	30	30	30	30	30	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	93.8%
		60		60		60		60		60		60		30		60				
		一致率		100%		100%		100%		100%		100%		50%		100%				

ブナシメジ品種内多型検査結果票(F社・許容範囲±2)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品種番号	品種名	マーカー											
		msHm-1	msHm-2		msHm-3	msHm-4		msHm-5	msHm-6		msHm-7	msHm-8	
		133	79		145	155		269	130		132	243	
1	ホクト白1号菌	133	67	79	145	155	269	130	132	243			

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－2	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－3	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	246				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	14	16	87.5%
(2)－4	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－5	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－6	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－7	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－8	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－9	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－10	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－11	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－12	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－13	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－14	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－15	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－16	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－17	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－18	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－19	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－20	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－21	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－22	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－23	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－24	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－25	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－26	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－27	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16
(2)－28	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242			
	正解値	133		67	79	145		155		269		130		132		243			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16

(2)－29	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
totalフラグ計		30	30	30	30	30	30	30	30	30	30	30	30	30	0	29	30		平均 マーカー 一致率	93.5%
		60		60		60		60		60		60		30		59				
	一致率	100%		100%		100%		100%		100%		100%		50%		98%				

ブナシメジ品種内多型検査結果票(L社・許容範囲±2)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品 種 番 号	品 種 名	マーカー															
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8	
		133		79		145		155		269		130		132		243	
1	ホクト白1号菌	133		67	79	145		155		269		130		132		243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－2	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－3	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－4	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－5	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－6	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－7	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－8	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－9	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－10	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－11	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%

(2)－12	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－13	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－14	測定結果	135	0	69	81	148	0	159	0	270	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－15	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－16	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	0	1	1	1	13	16	81.3%
(2)－17	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－18	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－19	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	0	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	12	16	75.0%
(2)－20	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－21	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	0	1	1	1	13	16	81.3%
(2)－22	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－23	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－24	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－25	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－26	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－27	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－28	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%

(2)－29	測定結果	135	0	69	81	148	0	159	0	270	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
(2)－30	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	0	1	0	1	1	1	1	1	1	0	1	1	13	16	81.3%
	totalフラグ計	24	30	30	30	0	30	0	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	80.0%
		54		60		30		30		60		60		30		60				
		一致率		90%		100%		50%		50%		100%		100%		50%				

ブナシメジ品種内多型検査結果票(B社・許容範囲±3)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品 種 番 号	品 種 名	マーカー															
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8	
		133		79		145		155		269		130		132		243	
1	ホクト白1号菌	133		67	79	145		155		269		130		132		243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－2	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－3	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－4	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－5	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－6	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－7	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－8	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－9	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－10	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－11	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－12	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－13	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－14	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－15	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－16	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－17	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－18	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－19	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－20	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－21	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－22	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－23	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－24	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－25	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－26	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－27	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－28	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－29	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	133		66	79	145		156		270		131		70	132	243				
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
	totalフラグ計	30	30	30	30	30	30	30	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	93.8%
		60		60		60		60		60		60		30		60				
		一致率		100%		100%		100%		100%		100%		50%		100%				

ブナシメジ品種内多型検査結果票(F社・許容範囲±3)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品種番号	品種名	マーカー													
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7	
		133		79		145		155		269		130		132	
1	ホクト白1号菌	133		67	79	145		155		269		130		132	243

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)-1	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-2	測定結果	134	0	66	79	145	0	156	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-3	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	246				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-4	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-5	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-6	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-7	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-8	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-9	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-10	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)-11	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	131	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%

(2)－29	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	242				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
(2)－30	測定結果	134	0	66	79	145	0	155	0	270	0	131	0	70	132	243				
	正解値	133		67	79	145		155		269		130		132		243				
	フラグ1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	15	16	93.8%
totalフラグ計		30	30	30	30	30	30	30	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	93.8%
		60		60		60		60		60		60		30		60				
	一致率	100%		100%		100%		100%		100%		100%		50%		100%				

ブナシメジ品種内多型検査結果票(L社・許容範囲±3)

1. マーカーテーブル

品種番号	品種名	msHm-1	msHm-2	msHm-3	msHm-4	msHm-5	msHm-6	msHm-7	msHm-8
		A	B	C	D	E	F	G	H
1	ホクト白1号菌	A	B-12/B	C	D	E	F	G	H

2. 検査結果照合用マーカーテーブル

品 種 番 号	品 種 名	マーカー															
		msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8	
		133		79		145		155		269		130		132		243	
1	ホクト白1号菌	133		67	79	145		155		269		130		132		243	

2. 測定値

サンプル番号	検査	msHm-1		msHm-2		msHm-3		msHm-4		msHm-5		msHm-6		msHm-7		msHm-8		フラグ数	最大フラグ	一致率
(2)－1	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－2	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－3	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－4	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－5	測定結果	136	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－6	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－7	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－8	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	134	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－9	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－10	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－11	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%

(2)－29	測定結果	135	0	69	81	148	0	159	0	270	0	132	0	72	133	245	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
(2)－30	測定結果	135	0	69	81	148	0	159	0	271	0	132	0	72	133	244	0			
	正解値	133	0	67	79	145	0	155	0	269	0	130	0	132	0	243	0			
	フラグ1	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	14	16	87.5%
	totalフラグ計	30	30	30	30	30	30	0	30	30	30	30	30	30	0	30	30		平均 マーカー 一致率	87.5%
		60		60		60		30		60		60		30		60				
		一致率		100%		100%		100%		50%		100%		100%		50%				

